



1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

PRODUCT IDENTIFIER: TEDA – L33E
MANUFACTURER / IMPORTER: TOSOH SPECIALTY CHEMICALS USA, Inc.
ADDRESS: 1720 Windward Concourse, Suite 125
Alpharetta, Georgia 30005
PHONE: 1-770-442-9501
EMERGENCY PHONE: CHEMTREC 1-800-424-9300 OR 1-703-527-3887
RECOMMENDED USE: General industrial products

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Acute toxicity
Oral: Category 4
Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Specific target organ toxicity – single exposure Category 3
Specific target organ toxicity – repeat exposure Category 2

HAZARD SYMBOL:



SIGNAL WORD:

WARNING

HAZARD STATEMENTS:

Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May cause damage to kidneys through prolonged or repeated exposure.

PREVENTION:

Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/eye protection/face protection.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.



2. HAZARDS IDENTIFICATION (continued)

RESPONSE:

If in eyes: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: Get medical advice/attention.
If on skin (or hair): Wash with plenty of water.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a poison control center/doctor if you feel unwell.
If swallowed: Rinse mouth.
Call a poison control center/doctor if you feel unwell.

STORAGE:

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

DISPOSAL:

Dispose of contents/container in accordance with Federal and state regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS #</u>	<u>OSHA Hazardous(Y/N)</u>	<u>Concentration (%)</u>
Triethylenediamine	280-57-9	Y	33
Ethylene glycol	107-21-1	Y	67

4. FIRST AID MEASURES

EYE CONTACT:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention if eye irritation develops or persists.

SKIN CONTACT:

Remove contaminated clothing and shoes. Wash with plenty of water, for at least 15 minutes. Seek medical attention if skin irritation develops or persists. Launder contaminated clothing and shoes before re-use.



4. FIRST AID MEASURES (continued)

INGESTION:

Do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek immediate medical attention. Do not leave victim unattended.

INHALATION:

If respiratory irritation or distress occurs, remove victim to fresh air. Seek imedical attention if respiratory irritation or drowsiness develops or persists.

NOTES TO PHYSICIAN:

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically. No specific antidote available.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

Water spray, fog, dry chemical, foam, CO₂

**UNUSUAL FIRE AND
EXPLOSION HAZARDS:**

Closed containers may rupture due to buildup of pressure when exposed to extreme heat.

**SPECIAL PROTECTIVE EQUIPMENT
FOR FIRE FIGHTERS:**

Firefighters should wear NIOSH/MSHA-approved self-contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.

HAZARDOUS DECOMPOSITION

MATERIALS UNDER FIRE CONDITIONS: Oxides of carbon, oxides of nitrogen, ammonia.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear appropriate protective gear for the situation. (See Personal Protection Information in Section 8).

ENVIROMENTAL PRECAUTIONS:

Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

METHOD FOR CLEAN UP:

Extinguish or remove all sources of ignition. Absorb with an inert absorbent, sweep up and place in an appropriate closed container. Clean up residual material by washing area with water. Collect washings for disposal. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.



7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Handle material with suitable protection (See Section 8). Handle with adequate ventilation. Avoid breathing vapors. Avoid contact with eyes, skin and clothing.

VENTILATION: General area dilution/exhaust ventilation.

CONDITIONS FOR SAFE STORAGE: Store upright in a cool, dry, well ventilated area out of direct sunlight. Keep away from heat, open flames and ignition sources. Keep container tightly closed. Do not reuse container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES: Set up hand-wash station and eyewash station near work area.
General area dilution/exhaust ventilation.

EXPOSURE LIMITS: Ethylene glycol – 100 mg/M³ - ACGIH ceiling

PERSONAL PROTECTION MEASURES:

Respiratory protection: When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with regulatory standards and/or industrial recommendations. Self-contained or supplied-air respiratory equipment is recommended.

Eye protection: Safety glasses with side shields, goggles or face shield are recommended.

Skin protection: Skin contact should be minimized through the use of chemical-resistant gloves and boots, and suitable protective clothing.

The following general measures should be taken when working or handling this material:

- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes of contact with this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
COLOR:	Pale yellow
ODOR:	Ammonia-like
pH:	11.0 (@10% aqueous)
MELTING POINT:	No data available



9. PHYSICAL AND CHEMICAL PROPERTIES (continued)

BOILING POINT:	363-385F (184-196C)
FLASH POINT:	219F (104C)
AUTOIGNITION POINT:	608F (320C)
EXPLOSIVE LIMITS(Lower):	No data available
EXPLOSIVE LIMITS(Upper):	No data available
VAPOR PRESSURE:	< 13 Pa @ 20C (68F)
VAPOR DENSITY:	2.52 (Air = 1)
EVAPORATION RATE:	No data available
RELATIVE DENSITY:	1.10
SOLUBILITY IN WATER:	Soluble
PARTITION COEFFICIENT:	No data available
DECOMPOSITION TEMPERATURE:	No data available

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	This material is stable under normal handling and storage conditions described in Section 7.
CONDITIONS TO AVOID:	Heat, open flame, sparks, direct sunlight.
INCOMPATIBLE MATERIALS:	Strong oxidizing agents, strong acids, copper, zinc, aluminum and their alloys.
HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon, oxides of nitrogen, ammonia.
HAZARDOUS POLYMERIZATION:	Not applicable

11. TOXICOLOGICAL INFORMATION

EYE CORROSION/IRRITATION:	Severely irritating, rabbit. (Data for Triethylenediamine)
SKIN CORROSION/IRRITATION:	Moderately irritating, rabbit. (Data for Triethylenediamine)
ACUTE TOXICITY:	
ACUTE ORAL TOXICITY:	LD ₅₀ = 1700 mg/kg, rat. (Data for Triethylenediamine)
ACUTE DERMAL TOXICITY:	LD ₅₀ > 2000 mg/kg, rat. (Data for Triethylenediamine)
ACUTE INHALATION TOXICITY:	LC ₅₀ ≥ 20.2 mg/L/1 hour, rat (tested as a 20% solution). (Data for Triethylenediamine)
SKIN SENSITIZATION	Not a sensitizer (guinea pig). (Data for Triethylenediamine)
GENETIC TOXICITY	Not mutagenic in the Ames test or <i>in vivo</i> mouse micronucleus test. (Data for Triethylenediamine)



11. TOXICOLOGICAL INFORMATION (continued)

CARCINOGENICITY:	This product does not contain any substances that are considered by OSHA, NTP, IARC or ACGIH to be “probable” or “suspected” human carcinogens.
REPRODUCTIVE TOXICITY:	In a combined repeat-dose/reproductive study (OECD 422) with Triethylenediamine, the NOAEL (no-observed-adverse-effect level) for F0 reproductive toxicity was considered to be 300 mg/kg/day. The NOAEL for F1 neonatal toxicity was considered to be 300 mg/kg/day. The NOAEL for F0 parental systemic toxicity was considered to be 100 mg/kg/day. Reproductive studies with ethylene glycol show that in repeated dose toxicity studies, no evidence of an adverse impact on reproductive organs was observed. In special studies, including a three generation study in rats and continuous breeding protocols in mice, evidence of reproductive effects have been restricted to mice (but not rabbits or rats) exposed to doses considerably higher than those associated with developmental effects in this species or renal effects in rats.
STOT-SINGLE EXPOSURE:	Ethylene glycol may cause central nervous system depression and drowsiness.
STOT-REPEATED EXPOSURE:	In a combined repeat-dose/reproductive study (OECD 422) with Triethylenediamine, reversible, treatment-related effects were observed in the kidneys and bladders of mid-to-high dose animals. The NOAEL for ethylene glycol was determined to be 150 mg/kg/day and appears to be a threshold dose below which no renal toxicity occurs.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:	96hr LC ₅₀ > 100 mg/L (carp) 48hr EC ₅₀ > 92 mg/L (daphnia magna) 72hr EC ₅₀ > 110 mg/L (algae, biomass), > 180 mg/L (algae, growth rate) (All data for Triethylenediamine)
PERSISTENCE AND DEGRADABILITY:	Not readily biodegradable (Data for Triethylenediamine)
MOBILITY IN SOIL:	No data available



13. DISPOSAL CONSIDERATION (INCLUDING CONTAINER)

RESIDUAL WASTE:

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from Federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

CONTAMINATED VESSELS AND CONTAINERS:

Rinse containers before disposal. Do not allow rinsate to enter the water systems.
EPA Hazardous Waste = No

14. TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:

NOT REGULATED

UN NUMBER:

None

UN CLASS or DIVISION:

None

UN PACKING GROUP:

None

LABELS:

None

EMERGENCY GUIDE#:

None

15. REGULATORY INFORMATION

Inventory Status:

US (TSCA): Yes
Canada (DSL): Yes
EU (REACH): Yes
Australia (AICS): Yes
Japan (METI): Yes
Korea (KECL): Yes

Where: Yes = all ingredients are listed on the inventory, Exempt = All ingredients are either on the inventory or exempt from the requirements of listing, No = Not determined, or one or more ingredients are not on the inventory and are not exempt from listing

SARA Title III Hazard Classes:

Fire Hazard: No
Reactive Hazard: No
Release of Pressure: No
Acute Health Hazard: Yes
Chronic Health Hazard: Yes

SARA Extremely Hazardous Substances/CERCLA Hazardous Substances: Ethylene glycol (107-21-1) (33%), TPQ=5000 pounds, 2270 kg

California Proposition 65: This product does not contain any components that are regulated under Proposition 65.



**16. OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION
AND REVISION OF THIS MSDS**

National Fire Protection Association (“NFPA”) Hazard Ratings:

Health: 2 (Moderate)
Flammability: 1 (Slight)
Reactivity: 0 (Minimal)

National Paint and Coatings Hazardous Materials Identification System (“HMIS”) Hazard Ratings:

Health: 2 (Moderate)
Flammability: 1 (Slight)
Physical Hazard: 0 (Minimal)

HISTORY:

Date previous SDS:	April 7, 2015
Date of issue:	November 13, 2015
Reasons for Revision:	Revised Phone Number

Disclaimer: The information set forth herein has been gathered from standard reference materials and/or TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies' test data and is to the best knowledge and belief of TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies, accurate and reliable. Such information is offered solely for your consideration, investigation, and verification, and is not suggested or guaranteed that the hazard precautions or procedures mentioned are the only ones that exist. TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies make no warranties, express or implied, and expressly disclaim any and all such warranties with respect to the use of such information or the use of specific material identified herein in combination with any other material or process, and assume no responsibility therefor. TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies make no representation or warranty, express or implied, and EXPRESSLY DISCLAIM ANY AND ALL SUCH WARRANTIES, as to the usefulness, sufficiency, MERCHANTABILITY or FITNESS FOR ANY PURPOSE whatsoever of the materials identified herein. The purchaser bears sole responsibility for testing, evaluating and determining the suitability of these materials for whatever use(s), manufacturing and refining processes, and any other such application(s) for which it intends or ultimately makes of these materials. Purchaser bears sole responsibility for obtaining any and all regulatory, legal and governmental approval necessary for such use(s).

END OF SAFETY DATA SHEET